

CAW 938

Classic Advanced Woofer, Ø 9", Ø 3" voicecoil, 8Ω

SPECIFICATIONS

of Edit forthere				
General Data				
Overall Dimensions	DxH	222mm(8.74")x76mm(2.99")		
Nominal Power Handling (DIN)	P	150W		
Transient Power 10ms		1000W		
Sensitivity 2.83V/1M		86 dB SPL		
Frequency Response		See graph		
Cone Material		Damped Polymer Composite		
Net Weight	Kg	1.28		
Electrical Data				
Nominal Impedance	Z	8Ω		
DC Resistance	Re	6.3Ω		
Voice Coil Inductance @ 1KHz	LBM	0.62mH		
Voice Coil and Magnet Parameters				
Voice Coil Diameter	DIA	75mm		

Voice Coil and Magnet Parameters			
Voice Coil Diameter	DIA	75mm	
Voice Coil Height		14.5mm	
HE Magnetic Gap Height	HE	5mm	
Max. Linear Excursion	X	± 4.75mm	
Voice Coil Former		Aluminum	
Voice Coil Wire		Hexatech™ Aluminum	
Number Of Layers		2	
Magnet System Type		High grade doine f bByM/BpBIbB	

FEATURES

- * Uniflow™ Aluminum diecast chassis
- * High grade ferrite double magnet system
- * 3" Large Hexatech™ Aluminum voice coil
- * High power handling
- * Shallow profile D.P.C cone
- * Improved parameteres

Unit Dimensions

