



UW 958

Ultimate Woofer,
Ø 9", Ø 5.1" voicecoil, 8Ω

SPECIFICATIONS

General Data		
Overall Dimensions	DxH	222mmx125mm(8.74"x4.92")
Nominal Power Handling (DIN)	P	500W
Transient Power 10ms		1500W
Sensitivity 2.83V/1M		85.8 dB SPL
Frequency Response		See graph
Cone Material		Composite cellular fiber
Net Weight	Kg	5.95
Electrical Data		
Nominal Impedance	Z	8Ω
DC Resistance	Re	6.2Ω
Voice Coil Inductance @ 1KHz	LBM	1.32mH
Voice Coil and Magnet Parameters		
Voice Coil Diameter	DIA	130mm (5.1")
Voice Coil Height		35mm (1.37")
HE Magnetic Gap Height	HE	12mm (0.47")
Max. Linear Excursion	X	+ 11.5mm (0.45")

FEATURES
* Uniflow™ Aluminum diecast chassis
* High flux double Ferrite magnet system
* 5.1" Large Hexatech™ Aluminum voice coil
* One piece paper cone/center dome
* Accucenter™ self centering cone assembly
* PFS™ Progression Field Symmetry spider/surround engineering
Unit Dimensions